

# Material Safety Data Sheet

Product Name: TRIMEC 1000 Low Odor Broadleaf Herbicide


MSDS No.: 994-0

Version No.: 002

EPA Registration No.: 2217-931

## 1. Basic Information:

**Manufacturer:** PBI/Gordon Corporation  
**Address:** 1217 West 12th Street  
**City, State Zip:** Kansas City, MO 64101-1407  
**Information Contact:** Environmental, Health, & Safety Dept.  
**Information Telephone Number:** (816)421-4070  
**Emergency Contact:** Chemtrec  
**Emergency Telephone Number:** (800)424-9300



2	Health
1	Flammability
0	Reactivity
B	Pers. Protection

Last Update: 3/20/2013

**Chemical State:**  Liquid     Gas     Solid  
**Chemical Type:**  Pure     Mixture

## 2. Ingredients:

Trade Secret (ND = Not Disclosed)

CAS No.	Chemical Name	% Range	EHS		IARC		SARA 313 SUB Z	OSHA PEL	ACGIH TLV	Other Limits
			NTP							
5742198	Diethanolamine Salt of 2,4-dichlorophenoxyacetic acid (2,4-D)	34.59%	N	N	N	N	N	NI	NI	NI
2008391	Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid (2,4-D)	1.22%	N	N	Y	N	N	NI	NI	NI
2300665	Dimethylamine Salt of 3,6-dichloro-o-anisic acid (Dicamba)	2.68%	N	N	N	N	Y	NI	NI	NI
66423094	Dimethylamine Salt of R(+)-2-(2-Methyl-4-chlorophenoxy) propionic acid (MCPA)	8.17%	N	N	Y	N	N	NI	NI	NI

## 3. Hazardous Identification:

First Aid Measures (Continued)

Hazard Category:

Acute     Chronic     Fire     Pressure     Reactive

Hazardous Identification Information:

The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for carcinogenicity in humans.) The US EPA has given the chlorophenoxy herbicides 2,4-D, 2,4-DP, MCPA, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

Emergency First Aid Procedure:

**If in eyes:**  
 --Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
 --Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
 --Call a poison control center or doctor for treatment advice.

**If on skin:**  
 --Take off contaminated clothing.  
 --Rinse skin immediately with plenty of water for 15 - 20 minutes.  
 --Call a poison control center or doctor for treatment advice.

**If swallowed:**  
 --Call a poison control center or doctor immediately for treatment advice.  
 --Have person sip a glass of water if able to swallow.  
 --Do not induce vomiting unless told to do so by the poison control center or doctor.  
 --Do not give anything by mouth to an unconscious person.

**If inhaled:**  
 --Move person to fresh air.  
 --If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.  
 --Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

Other Health Warnings:

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

## 4. First Aid Measures:

Route(s) of Entry:

Skin contact, Inhalation, Ingestion.

Health Hazards (Acute and Chronic):

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed.

Signs and Symptoms:

Inhalation may cause burning in the chest, with coughing. Prolonged inhalation sometimes causes dizziness. Ingestion usually leads to vomiting. Pain in the chest and abdomen, and diarrhea may follow.

Medical Conditions Generally Aggravated by Exposure:

Individuals with chronic skin disease or known sensitivity to chlorophenoxy compounds should either avoid using them or take strict precautions to avoid contact. (respirator, gloves, etc.)

# Material Safety Data Sheet

Product Name: TRIMEC 1000 Low Odor Broadleaf Herbicide

MSDS No.: 994-0

Version No.: 002

EPA Registration No.: 2217-931

## 5. Fire Fighting Measures:

Flash Point: 145°F F.P. Method: Closed Cup

Lower Explosive Limit: NI

Upper Explosive Limit: NI

### Fire Extinguishing Media:

Foam, CO<sub>2</sub>, dry chemical, water. The low flash point of this product is due to a minor component in the mixture. Based on independent laboratory testing of similar products, this product would not sustain combustion as specified in DOT Regulation 49 CFR 173 Appendix H, and, therefore, would not be classified as a combustible liquid.

### Special Fire Fighting Procedures:

Wear positive-pressure breathing apparatus and full protective clothing.

### Unusual Fire and Explosion:

This product does not ignite readily, but may burn at a very high temperature. The fire may produce irritating or poisonous gases. Run-off from fire control area or dilution water may cause pollution. If surface water is contaminated, contact local authorities.

## 6. Accidental Release Measures:

### Steps to be Taken in Case Material is Released or Spilled:

See Section 8 for Personal Protective Equipment. Do not touch spilled material. Contain and absorb spilled material on Dri-Rite, sand or other inert absorbent. Collect into drums; cover and label for disposal. Flush area with water if possible.

## 7. Handling and Storage:

### Precautions to be Taken:

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

### Other Precautions:

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

[For Plastic Containers – Nonrefillable with capacities equal to or less than 5 gallons:]

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse [or pressure rinse] container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

[Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.]

[For Plastic Containers – Nonrefillable with capacities greater than 5 gallons:]

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local

## Handling and Storage (Continued)

authorities, by burning. If burned, stay out of smoke.

Triple rinse [or pressure rinse] container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.]

[For Refillable Containers:]

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Container cleaning: Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

## 8. Exposure Controls/Personal Protection:

### Ventilation Requirements:

Good local ventilation is recommended; mechanical ventilation may be required if exposure limits may be exceeded.

### Personal Protective Equipment:

#### NON-WPS USES:

Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) – in general, only agricultural-plant uses are covered by the WPS – must wear the following:

- Wear face shield or goggles when mixing, loading or applying this product. When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and eye protection. It is recommended that safety glasses include front, brow, and temple protection.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower..

PROTECTIVE CLOTHING: Wear long sleeves and pants; chemical-resistant gloves and shoes with socks.

EYE PROTECTION: Safety glasses with side shields or safety goggles.

RESPIRATORY PROTECTION: If exposure limits may be exceeded, wear a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a NIOSH approved respirator with any R, P or HE filter.

## 9. Physical and Chemical Properties:

# Material Safety Data Sheet

Product Name: TRIMEC 1000 Low Odor Broadleaf Herbicide

MSDS No.: 994-0

Version No.: 002

EPA Registration No.: 2217-931

## Physical and Chemical Properties (Continued)

**Boiling Point:** 212°F      **Melting Point:** NI

**Evaporation Rate (Butyl Acetate = 1):** <1

**Vapor Pressure (mm Hg.):** <17 @ 78 F

**Vapor Density (Air = 1):** >1

**Specific Gravity (H2O = 1):** 1.16370

**Solubility in Water:** Infinite

**Appearance and Odor:** Brown liquid; amine odor.

**Other Information:**

pH = 7.5-8.5;

Density = 9.71 pounds/gallon

Freezing point <35°F

### 10. Stability and Reactivity:

**Stability:**

Stable.

**Incompatibility (Materials to Avoid):**

Do not mix with acidic materials, as this will ruin the product.

**Decomposition/By-Products:**

May produce gases such as HCl, nitrogen oxides, and carbon monoxide when burning.

**Hazardous Polymerization:**

Will not occur.

### 11. Toxicological Information:

Acute Oral Toxicity, LD50: 1,030 mg/kg in female rats.

Acute Dermal Toxicity, LD50: >5,000 mg/kg

Acute Inhalation Toxicity, LC50: >2.06 mg/L

Acute Dermal Toxicity, LD50: >5,000 mg/kg

**Primary Eye Irritation:** Under the conditions of this study, the test substance is classified as moderately irritating to the eye. [Corneal involvement or other eye irritation clearing in 8-21 days = EPA Category II].

**Primary Skin Irritation:** Under the conditions of this study, the test substance is classified as slightly irritating to the skin.

**Dermal Sensitization:** Based on the results of this study, the test substance is not considered to be a contact sensitizer.

### 12. Ecological Information:

**Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater

### 13. Disposal Considerations:

## Disposal Considerations (Continued)

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

[For Plastic Containers - Nonrefillable with capacities equal to or less than 5 gallons:]

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse [or pressure rinse] container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

[Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.]

[For Plastic Containers - Nonrefillable with capacities greater than 5 gallons:]

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse [or pressure rinse] container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.]

[For Refillable Containers:]

**CONTAINER HANDLING:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

**Container cleaning:** Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or

# Material Safety Data Sheet

Product Name: TRIMEC 1000 Low Odor Broadleaf Herbicide

MSDS No.: 994-0

Version No.: 002

EPA Registration No.: 2217-931

## Disposal Considerations (Continued)

recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

### 14. Transport Information:

The following guidelines apply for domestic ground transport. If shipping by air or ocean, please contact our Transportation Department.

Freight Class: Pesticides, NOI - NMFC Class 155050, sub 6

Proper Shipping Name:

For package sizes less than 41.32 gallons: product is non-regulated.  
For package sizes 41.32 gallons or greater: Environmentally Hazardous Substances, Liquid, N.O.S., 9, UN3082, PGIII, RQ (2,4-D)

When shipped as a Hazardous Material, label required is Class 9 (Miscellaneous). Placards required on bulk shipments only.

### 15. Regulatory Information:

OSHA STATUS: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA STATUS: This product is exempt from TSCA Regulation under FIFRA Section 3(2)(B)(ii) when used as a pesticide.

CERCLA REPORTABLE QUANTITY: 279 pounds of the formulation which contains 100 pounds of Diethanolamine 2,4-D and Dimethylamine 2,4-D

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: None  
SECTION 311/312 HAZARD CATEGORIES: Immediate Health Hazard, Delayed Health Hazard  
SECTION 313 TOXIC CHEMICALS: Dimethylamine dicamba CAS# 2300-66-5

RCRA STATUS: When discarded in its purchased form, this product is a listed RCRA hazardous waste and should be managed as a hazardous waste. (40 CFR 261.20-24)

ATTENTION: This product contains a chemical known to the state of California to cause cancer.

### 16. Other Information:

REASON FOR ISSUE: New MSDS in the ANSI Z400.1-1998 format

Note: NI means Not Indicated.

The information and statements in this Material Safety Data Sheet are believed to accurately reflect the scientific evidence used in making the hazard determination, but is not to be construed as a warranty or representation for which we assume legal responsibility. Additional information may be necessary or desirable depending on particular, exceptional or variable conditions or circumstances of use or storage or because of locally applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information available to you and must make independent determinations of the suitability of the information for your particular circumstances or conditions and of the completeness of the information available from all sources to assure both the proper use of the material described herein and the safety and health of employees.