



SAFETY DATA SHEET

| SECTION 1 | PRODUCT AND COMPANY IDENTIFICATION |
|----------------------|--|
| Trade Name: | Muriate of Potash (MOP), all grades |
| Chemical Name: | Potassium Chloride |
| CAS Number: | 7447-40-7 |
| Chemical Family: | Inorganic Salt |
| Synonyms: | Potash MOP Potassium Chloride Potassium Muriate Potassium Monochloride Muriate of Potash |
| Primary Use: | Crop nutrient; Industrial applications |
| Company Information: | THE MOSAIC COMPANY 3033 Campus Drive Plymouth, MN 55441 www.mosaicco.com 800-918-8270 or 763-577-2700 8 AM to 5 PM Central Time US |
| Emergency Telephone: | 24 Hour Emergency Telephone Number: <u>For Chemical Emergencies:</u> Spill, Leak, Fire or Accident Call CHEMTREC North America: (800) 424-9300 Others: (703) 527-3887 (collect) |

| SECTION 2 | HAZARD IDENTIFICATION | |
|---------------------|--|----------------|
| GHS Classification: | Not Applicable | Not Applicable |
| | Signal Word: not applicable Hazard Statement(s) Not applicable | |
| Label Elements: | | |
| Prevention: | Not applicable | |
| Response: | Not applicable | Not applicable |
| Storage: | Not applicable | Not applicable |
| Disposal: | Not applicable | Not applicable |

| SECTION 3 | COMPOSITION INFORMATION ON INGREDIENTS | | | |
|--------------|--|---------------|----------|--|
| Formula: | KCl | | | |
| Composition: | Potassium Chloride | CAS 7447-40-7 | 95-99.5% | |
| | Sodium Chloride | CAS 7647-14-5 | 0.3-3.7% | |



| SECTION 4 | | FIRST AID MEASURES | |
|-----------------------|------------|--|--|
| First Aid Procedures: | Eyes: | Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention. | |
| | Skin: | Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention. | |
| | Inhaled: | If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. | |
| | Ingestion: | If large amounts are swallowed, seek emergency medical attention. If possible, do not leave victim unattended and observe closely for adequacy of breathing. | |
| Note to Physician: | None Known | | |

| SECTION 5 | | FIRE FIGHTING MEASURES | |
|-----------------------------|--|-------------------------------|--|
| Extinguishing Media: | Use extinguishing agent suitable for type of surrounding fire. | | |
| Protection of Firefighters: | <p>No unusual fire or explosion hazards are expected. When this material is subjected to high temperatures, it may release small amounts of chloride gas.</p> <p>Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials. Full structural firefighting (bunker) gear is the minimum acceptable attire. The need for proximity, entry, flashover and/or special chemical protective clothing (see Section 8) needs to be determined for each incident by a competent firefighting safety professional.</p> <p>Water used for fire suppression and cooling may become contaminated. Discharge to sewer system(s) or the environment may be restricted, requiring containment and proper disposal of water (see Section 6).</p> | | |

| SECTION 6 | | ACCIDENTAL RELEASE MEASURES | |
|----------------------|--|------------------------------------|--|
| Response Techniques: | <p>Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal. Large spills can harm or kill vegetation.</p> | | |

| SECTION 7 | | HANDLING AND STORAGE | |
|------------------|--|-----------------------------|--|
| Handling: | <p>The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.</p> | | |



| | |
|----------|---|
| Storage: | Use and store this material in dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air. |
|----------|---|

| SECTION 8 | | EXPOSURE CONTROLS / PERSONAL PROTECTION | |
|--------------------------------------|---|--|--|
| Engineering Controls: | Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations. | | |
| Personal Protective Equipment (PPE): | Eye/Face: | Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended. | |
| | Skin: | The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption. | |
| | Respiratory: | A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator. | |
| | Other: | A source of clean water should be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed. | |
| General Hygiene Considerations: | Wash thoroughly after handling Use adequate ventilation | | |
| Exposure Guidelines: | OSHA Permissible Exposure Limits (PEL): | Particulates Not Otherwise Regulated: 5 mg/m ³ TWA (respirable); 15 mg/m ³ TWA (total) | |
| | ACGIH Threshold Limit Value (TLV): | Particulates Not Otherwise Specified: 3 mg/m ³ TWA (respirable); 10 mg/m ³ TWA (inhalable) | |

| SECTION 9 | | PHYSICAL AND CHEMICAL PROPERTIES | |
|--|---|---------------------------------------|--|
| Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm). | | | |
| Appearance: | White to reddish-brown, crystalline or granular | Vapor Pressure (mm Hg): | Not applicable |
| Odor: | None/Strong Saline | Vapor Density (air=1): | Not applicable |
| Odor Threshold: | No data available | Specific Gravity or Relative Density: | 1.986 - 1.990 |
| Physical state: | Solid | Bulk Density: | Loose 64 - 75 lbs/ft ³ (1025 - 1200 kg/m ³); |
| pH: | 5.4 – 10.0 in a 5% solution | Solubility in Water: | 99.5 - 99.999%; 34.2 g/100mL at 20°C |
| Melting Point/ Freezing Point: | 772 to 776°C (1423 to 1428°F) | Partition coefficient: | No data available |



| | | | |
|--|-----------------------------|----------------------------|-------------------|
| Boiling Point: | Sublimes at 1500°C (2732°F) | Auto-Ignition Temperature: | Not applicable |
| Flash Point: | Not applicable | Decomposition Temperature: | No data available |
| Evaporation Rate: | No data available | Viscosity: | No data available |
| Flammability: | Not applicable | Volatility: | Not applicable |
| Upper/lower Flammability or explosive limits | Not applicable | | |

| SECTION 10 | STABILITY AND REACTIVITY |
|-----------------------------------|---|
| Chemical Stability: | Stable under normal conditions of storage and handling. Material is hygroscopic (May absorb moisture from air when relative humidity >72%). |
| Conditions to Avoid: | None known |
| Incompatible Materials: | Avoid contact with hot nitric acid, may cause evolution of toxic nitrosyl chloride. Contact with other strong acids may produce irritating hydrogen chloride gas. KCl may react violently with bromine trifluoride and may explode if mixed with potassium permanganate and sulfuric acid. NaCl can react with most noble metals, such as iron or steel, building materials (such as cement), bromine, or trifluoride. A potentially explosive reaction may occur if NaCl is mixed with dichloromaleic anhydride and urea. Electrolysis of mixtures containing NaCl and nitrogen compounds may form explosive nitrogen trichloride. |
| Hazardous Decomposition Products: | None known |
| Corrosiveness: | Similar to salt. Mildly corrosive to metals in the presence of moisture. |
| Hazardous Polymerization: | Will not occur |

| SECTION 11 | TOXICOLOGICAL INFORMATION | | |
|----------------------------|--|-----------------|-------------------|
| Substance: | Potassium Chloride | | |
| Acute Oral Toxicity: | LD ₅₀ (rat, oral) > 2600 mg/kg LD ₅₀ (mouse, oral) > 1500 mg/kg | | |
| Acute Inhalation Toxicity: | No data available | | |
| Acute Dermal Toxicity: | No data available | | |
| Substance: | Sodium Chloride | | |
| Acute Oral Toxicity: | LD ₅₀ (rat, oral) > 3000 mg/kg LD ₅₀ (mouse, oral) > 4000 mg/kg | | |
| Acute Inhalation Toxicity: | LC ₅₀ (rat) > 42 g/m ³ / 1 hour | | |
| Acute Dermal Toxicity: | No data available | | |
| Mutagenesis: | No data available | Target Organ | No data available |
| Developmental Toxicity: | No data available | Carcinogenicity | No data available |



| SECTION 12 | ECOLOGICAL INFORMATION |
|----------------|---|
| Ecotoxicology: | Dissolution of large quantities of potassium chloride and sodium chloride in water may create an elevated level of salinity that may be harmful to fresh water aquatic species and to plants that are not salt-tolerant. Potassium Chloride: Lepomis macrochirus LC50 - 2010 mg/l Physa heterostrapha LC50 - 940 mg/l Scenedesmus subspicatus EC50 - 2500 mg/l Sodium Chloride: Ceriodaphnia dubia LC50 - 280,000 - 3,540,000 ug/l Daphnia magna LC50 - 3,144,000 - 10,000,000 ug/l Daphnia pulex EC50 - 56.40 mM Pimephales promelas LD50 - 6,020,000 - 10,000,000 ug/l |

| SECTION 13 | DISPOSAL CONSIDERATIONS |
|------------|---|
| | This material, if discarded as produced, is not an RCRA "listed" or "characteristic" hazardous waste. Contamination may subject it to hazardous waste regulations. It is the generator's responsibility to properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. |

| SECTION 14 | TRANSPORT INFO | |
|---|----------------|--|
| Regulatory Status: | Not regulated | |
| Identification Number: | HTS 3104.20.00 | |
| Hazard Class: | Not applicable | |
| Proper Shipping Name | Not applicable | |
| Packing Group | Not applicable | |
| DOT Emergency Response Guide Number: | Not applicable | |
| Transport in bulk according to Annex II of MARPOL 73/78 ⁹ and the IBC Code ¹⁰ : | Not applicable | |
| MARPOL Annex V: | Non-HME | |
| IMO/IMDG: | Not applicable | |

| SECTION 15 | REGULATORY INFORMATION | | |
|---|-----------------------------|--------|---------|
| CERCLA: | Not listed | | |
| RCRA 261.33: | Not listed | | |
| SARA TITLE III: (Exemptions at 40 CFR, Part 370 may apply for agricultural use, or for | Section 302/304: Not listed | RQ: No | TPQ: No |
| | Section 311/312: | | |



| | | | | | |
|--|---|-------------|----------|--------------|----------------|
| quantities of less than 10,000 pounds on-site.) | Acute: No | Chronic: No | Fire: No | Pressure: No | Reactivity: No |
| | Section 313: Not listed | | | | |
| NTP, IARC, OSHA: | This material has not been identified as a carcinogen by NTP, IARC, or OSHA. | | | | |
| Canada DSL and NDSL: | DSL: Yes NDSL: Not listed | | | | |
| TSCA: | Listed on the TSCA Inventory | | | | |
| CA Proposition 65: (Health & Safety Code Section 25249.5) | Warning: This product contains substances known to the State of California to cause cancer and/or birth defects or other reproductive harm. | | | | |
| WHMIS: | WHMIS 2015 This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR. WHMIS 1988 (Repealed) Classifications and/or symbols from the Controlled Products Regulations (CPR) are included in the Other Hazardous Classifications in Section 16 for reference. | | | | |

| SECTION 16 | OTHER INFORMATION |
|-------------------|--|
| Disclaimer: | <p>The information in this document is believed to be correct as of the date issued. HOWEVER, MOSAIC MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO THE USE OF THIS PRODUCT.</p> <p>User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application and assumes the risk of use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this product. Each user should review the recommended industrial hygiene and safe handling procedures in the specific context of the intended use and determine whether they are appropriate.</p> |
| Preparation: | The preparation of this SDS was in accordance with ANSI Z400.1-2010. |
| Revision Date: | June 1, 2015 |
| Sections Revised: | All |
| SDS Number: | MOS 100052 |
| References: | Globally Harmonized System of Classification and Labelling of Chemicals (GHS) – 4 th Edition 2011 OSHA Hazard Communication Standard, 2012 MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET Toxline, Tomes, ECHA, OECD SIDS |



| | | | | | | |
|-------------------------------|--------------------------------------|----------------------|--------------------------|-----------|--------------------------------------|----------------------|
| Other Hazard Classifications: | NFPA HAZARD CLASS | | HMIS HAZARD CLASS | | WHMIS 1988 (CPR) HAZARD CLASS | |
| | Health: | 1 | Health: | 1 | Symbol | N/A |
| | Flammability: | 0 | Flammability: | 0 | Classification | Not WHMIS Controlled |
| | Instability: | 0 | Physical Hazard: | 0 | Sub Class | N/A |
| | Special Hazard: | None | PPE: | Section 8 | | |
| | WHMIS 2015 (HPR) HAZARD CLASS | | | | | |
| | Signal Word | N/A | | | | |
| | Symbol | N/A | | | | |
| | Classification | Not WHMIS Controlled | | | | |
| | Hazard Statements | N/A | | | | |