



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 4/24/2015

Reviewed on 4/24/2015

1 Identification

- Product identifier

Trade Name: **Limestone**

Product description: **Limestone; sized Stone**

Use/Application of Product: **Construction, Agriculture, Aggregate**

- Details of the supplier of the safety data sheet:

Manufacturer/Supplier:

Rohrer's Quarry, Inc.

16 Lititz Rd., Lititz, PA. 17543

safety@rohrer's.com

717-587-5728 for product information

For Health Hazards/Emergency telephone number: 717-626-9786

www.rohrersquarry.com

2 Hazard(s) Identification

- Classification of the substance or mixture



Irritating/ Sensibilizing



Emergency Overview: **Limestone is an odorless white, grayish-white or tan material that ranges from pebble to a granular powder. Contact can cause irritation to eyes, skin, respiratory system, and gastrointestinal tract. Limestone reacts with acid from CO₂.**

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS)





Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Trade Name: **Limestone**

Signal word: **Danger**

Potential Health Effects

Eyes: **Contact can cause irritation of eyes**

Skin: **Contact can cause mild irritation of skin**

Ingestion: **This product can cause mild irritation of gastrointestinal tract if swallowed.**

Inhalation: **This product can cause mild irritation of the respiratory system. Long-term exposure may cause permanent damage. Limestone is not listed by MSHA, OSHA, or IARC as a carcinogen. However, this product may contain trace amounts of crystalline silica in the form of quartz or cristobalite, which has been classified by IARD as a Group I carcinogen to humans when inhaled. Inhalation of silica can also cause a chronic lung disorder, silicosis.**

Potential Environmental **This material is alkaline and if released into water or moist soil will cause an increase in pH.**

Response: **If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.**

If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: **Store in an appropriate container or containment structure.**

Disposal: **Dispose of contents/container in accordance with local/regional/national/international regulations.**

Section 3: Composition / Information on Ingredients

Chemical Family	Formula	Common Name	Conc. (%)	CAS
Limestone/Dolomite	CaCO ₃	Limestone	95%	1317-65-3

Section 4: First Aid Measures

Eyes: **Immediately flush eyes with generous amounts of water or eye wash solution if water is unavailable. Pull back eyelid while flushing to ensure that all limestone dust has been washed out. Seek medical attention promptly if the initial flushing of the eyes does not remove the irritant. Do not rub eyes.**

Skin: **Brush off or remove as much dry limestone as possible. Wash exposed area with large amounts of water. If burned seriously or if irritation persists, seek medical attention promptly.**

Inhalation: **Move victim to fresh air. Allow the victim to rest in a well-ventilated area. Seek medical attention if coughing and other symptoms do not subside. If breathing has stopped, give artificial respiration.**

Ingestion: **Do not induce vomiting. If conscious give person 1 to 2 glasses of water. Seek medical attention immediately.**



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Trade Name: **Limestone**

Section 5: Firefighting Measures

Fire Hazards: **Limestone is not combustible or flammable. This product is not considered to be an explosion hazard, although reaction with incompatible materials, such as acids, may rupture containers.**

General Fire

Hazards: **See section 9 for Flammability Properties.**
None

Hazardous Combustion Products:
None

Extinguishing Media: **Use appropriate extinguishing media for surrounding fire.**

Unsuitable Extinguishing Media:
None

Fire Fighting Equipment/Instruction: **Firefighters should wear full protective gear.**

Flashpoint.....	None	Lower Explosive Limit.....	None
Upper Explosive Limit.....	None	Auto ignition temperature.....	Not Combustible
Extinguishing media.....	Not Combustible	Special Firefighting procedures.....	None
Hazardous combustion products.....	None	Unusual fire and explosion hazards.....	None

Section 6: Accidental Release Measures

Spill/Leak Procedures: **Use proper protective equipment. Keep away from acids and other incompatible material.**

Small Spills: **Use dry methods to collect spilled materials. Avoid generation of dust. Do not clean up with compressed air. Store collected materials in dry, sealed plastic or non-aluminum metal containers. Residue on surfaces may be water washed.**

Large Spills: **Use dry methods to collect spilled materials. Evacuate area downwind of clean-up operations to minimize dust exposure. Store spilled materials in dry, sealed plastic or non-aluminum metal containers.**

Containment: **Minimize dust generation**

Clean-up: **Residual amounts of material can be flushed with large amounts of water. Equipment can be washed with either a mild vinegar and water solution, or detergent and water.**

Environmental: **Material is a natural mineral product and will not cause adverse effects to the water system.**



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Trade Name: **Limestone**

Section 7: Handling and Storage

- Handling Procedures: **Avoid dust contact with eyes. Wear the appropriate eye protection against dust. Minimize dust generation and accumulation. Avoid breathing dust. Wear the appropriate respiratory protection against dust in poorly ventilated areas and if TLV is exceeded. Use good safety and industrial hygiene practices.**
- Storage Procedures: **Store in a closed container in a ventilated area away from sources of heat, moisture and incompatible materials.**
- Incompatibilities: **Acids react violently to produce heat.**

Section 8: Exposure Controls/Personal Protection

- Skin Protection: **Wash dust-exposed skin with water before eating, drinking, smoking, and using the toilet facilities. Wear impervious gloves to eliminate skin contact.**
- Respiratory Protection: **Avoid actions that cause dust to become airborne. Use local or general exhaust ventilation to control exposures below applicable exposure limits.**
- Use NIOSH/MSHA approved (under 30 CFR 11) or NIOSHA approved (under 42 CFR 84) respirators in poorly ventilated areas, if an applicable exposure limit is exceeded, or when dust causes discomfort or irritation. (Advisory: Respirators and filters purchased after June 10th, 1998 must be certified under 42 CFR 84.)**
- Ventilation: **Use local exhaust or general dilution ventilation to control exposure within applicable limits.**
- Eye Protection: **Safety glasses with side shields should be worn as minimum protection. In extremely dusty environments and unpredictable environments wear unvented or indirectly vented goggles to avoid eye irritation or injury. Contact lenses should not be worn when working with products which may generate airborne dust.**

Section 9: Physical and Chemical Properties

- | | | | |
|-------------------|----------------------------------|----------------------|-------------------------|
| Appearance: | White, grayish-white rock | Odor: | No distinct odor |
| Physical State: | Solid/Powder | Solubility in Water: | Yes, slightly |
| Vapor pressure: | N/A | Vapor density: | N/A |
| Boiling point: | N/A | Melting point: | N/A |
| Specific gravity: | N/A | | |



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Trade Name: **Limestone**

Section 10: Stability and Reactivity

Stability: **Stable**

Conditions to avoid: **Avoid contact with incompatible materials (see below)**

Incompatibility: **Materials to avoid include: powerful oxidizing agents such as fluoride, boron trifluoride, chlorine trifluoride, manganese trifluoride and oxygen defluoride. Contact of these materials may cause fire and/or explosions. Silica dissolves in hydrofluoric acid producing a corrosive gas – silicon tetrafluoride.**

Hazardous decomposition: **Will not spontaneously occur. Silica-containing respirable dust particles may be generated by handling**

Hazardous Polymerization: **Will not occur**

Section 11: Toxicological Information

An LD50 of 6450/kg (Rat, oral) has been identified for this product. Limestone is not listed by MSHA, OSHA, or IARC as a carcinogen, but this product may contain trace amounts of crystalline silica, which has been classified by IARC as carcinogenic to humans when inhaled in the form of quartz or cristobalite.

Section 12: Ecological Information

Will not spontaneously occur. Silica-containing respirable dust particles may be generated by handling.

Relevant physical and chemical properties: **(See section 9 and 10)**

Section 13: Disposal Considerations

Pick-up and reuse clean materials. Dispose of waste materials in accordance with applicable federal, state, and local laws and regulations. Where applicable, dispose of bags in an approved landfill or incinerator.

Section 14: Transportation Information

Limestone is not classified as a hazardous material by US DOT and is not regulated by the Transportation of Dangerous Goods (TDG) When shipped by any mode of transport.



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Trade Name: **Limestone**

Section 15: Regulatory Information

U.S. EPA Regulations: RCRA Hazardous Waste Number (40 CFR 261.33): not listed
 RCRA Hazardous Waste Classification (40 CFR 261): not classified
 CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001;
 CWA, Sec. 311 (b)(4); CWA, Sec. 307(a), CAA, Sec. 112
 CERCLA Reportable Quantity (RQ), not listed
 SARA 311/312 Codes: not listed
 SARA Toxic Chemical (40 CFR 372.65): not listed
 SARA EHS (Extremely Hazardous Substances) (40 CFR 355): not listed
 Planning Quantity (TPQ): not listed
 All chemical ingredients are listed on the US EPA TSCA Inventory List.

OSHA/MSHA Regulations: Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): 5mg/M3 TWA-8
 MSHA: not listed
 OSHA Specifically Regulated Substance (29 CFR 1910): not listed

State Regulations: Consult state and local authorities for guidance. Components found in this product may contain trace amounts of inherent natural occurring elements (such as, but not limited to arsenic and cadmium) that may be regulated under California Proposition 65 and other States regulations.

Section 16: Other Information

Prepared BY: Rohrer's Quarry, Inc. Compliance Management
 Date Prepared: 4/22/2015

Other important information: **This product should only be used by knowledgeable persons. While the information provided in this safety data sheet is believed to provide a useful summary of the hazards his product as it is commonly used, the sheet cannot anticipate and provide that all the information that might be needed in every situation. Inexperienced product users should obtain proper training before using this product.**

SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANT ABILITY OR FITNESS THEREOF FOR ANY PURPOSE OF CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY Rohrer's Quarry, Inc. to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all laws and procedures applicable to the safe handling and use of product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or from non-delivery of product, and whether based on contract, breach of warranty, negligence, or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.