

·

Safety Data Sheet Revision date: 04/30/2015

201

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

| Product form Substance name Product code Formula | : Substance : (MAP) Monoammonium phosphate : MAP, MAPFR, MAPOS, : (NH ₄)H ₂ PO ₄ |
|---|--|
| Synonyms | : Ammonium dihydrogen phosphate / Ammonium dihydrogenorthophosphate / Ammonium phosphate (monobasic) / Phosphoric acid, monoammonium salt / Ammonium dihydrogenphosphate / Ammonium phosphate / Ammonium phosphate, monobasic / Ammoniumorthophosphate, monobasic / Phosphoric acid, ammonium salt (1:1) / AMMONIUM PHOSPHATE / Ammonium dihydrogen orthophosphate / MAP |
| Product group | : Commercial product |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Agricultural chemical

1.3. Details of the supplier of the safety data sheet

PCS Sales (USA), Inc. 1101 Skokie Blvd. Suite 400 Northbrook, IL 60062 T 800-241-6908 / 847-849-4200

Suite 500 122 1st Avenue South Saskatoon, Saskatchewan Canada S7K7G3 T 800-667-0403 (Canada) / 800-667-3930 (USA)

SDS@PotashCorp.com - www.PotashCorp.com

Emergency telephone number 1.4.

Emergency number

: 800-424-9300 CHEMTREC

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

GHS-US classification

Skin Irrit. 2 H315 Eye Irrit. 2B H320 STOT SE 3 H335

Full text of H-phrases: see section 16

Safety Data Sheet 201

2.2. Label elements

| GHS-US labelling Hazard pictograms (GHS-US) | : GHS07 |
|--|--|
| Signal word (GHS-US) | : Warning |
| Hazard statements (GHS-US) | H315 - Causes skin irritation H320 - Causes eye irritation H335 - May cause respiratory irritation |
| Precautionary statements (GHS-US) | P261 - Avoid breathing dust P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of water P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER/doctor if you feel unwell P332+P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash it before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container according to local, regional, national, and international regulations |

2.3. Other hazards

Hazardous to the aquatic environment. No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

| Name | Product identifier | % | GHS-US classification |
|---|---------------------|----|---|
| Monoammonium phosphate as P ₂ O ₅ | (CAS No.) 7722-76-1 | 52 | Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 |
| Total Nitrogen, as N *** | | 11 | |

Safety Data Sheet

201

| Name | Product identifier | % | GHS-US classification |
|-----------------|--------------------|-----|-----------------------|
| Fluorides, as F | | 0.6 | |

*** Product contains monoammonium phosphate as essential ingredient with small amounts of diammonium phosphate, ammonium sulfate, urea, and aluminum/calcium/iron/magnesium phosphate compounds.

Full text of H-phrases: see section 16

| CECTION A. Einst aid managemen | |
|---------------------------------------|--|
| SECTION 4: First aid measures | |
| 4.1. Description of first aid meas | sures |
| First-aid measures general | : If medical advice is needed, have product container or label at hand. |
| First-aid measures after inhalation | : If inhaled, remove from source of exposure to dusts to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists. Persons who have inhaled decomposition gases (e.g. in a fire) should obtain immediate medical attention. |
| First-aid measures after skin contact | : Wash skin thoroughly with mild soap and water. Obtain medical attention if irritation develops or persists. |
| First-aid measures after eye contact | : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Obtain medical attention if irritation develops or persists. |
| First-aid measures after ingestion | : Do not induce vomiting. Seek medical attention if a large amount is swallowed. Get medical advice and attention if you feel unwell (or if a large amount of MAP is ingested [small children, more than 50 g]) Drink large amounts of water (or milk if available) to dilute stomach contents. Ingestion of small quantifies in unlikely to cause toxic effect. |
| 4.2. Most important symptoms a | and effects, both acute and delayed |
| Symptoms/injuries | : Irritation to eyes, skin and respiratory tract. |
| Symptoms/injuries after inhalation | : Difficulty in breathing. Dry/sore throat. Symptoms may be delayed. |
| Symptoms/injuries after skin contact | : May cause skin irritation. |
| Symptoms/injuries after eye contact | : May cause eye irritation. |
| Symptoms/injuries after ingestion | : If a large quantity has been ingested : Abdominal pain. Diarrhea. Nausea. Vomiting. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

| SECTION 5: Firefighting mea | sures |
|--------------------------------|---|
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Chemical type foam, Carbon Dioxide (CO ₂), dry chemical, water fog. |
| Unsuitable extinguishing media | : None known. |

Safety Data Sheet

201

| 5.2. Special hazards ansing from the substance of mixture | | |
|---|--|--|
| Fire hazard | : MAP is a non-flammable inorganic salt and is not flammable; however, if involved in a fire the following toxic and/or corrosive fumes may be produced by thermal decomposition: Ammonia. | |
| Explosion hazard | : Product is not explosive. | |
| Reactivity | : Stable at ambient temperature and under normal conditions of use. | |
| 5.3. Advice for firefighters | | |
| Firefighting instructions | : Keep personnel removed from and upwind of fire. When strongly heated, MAP will decompose giving off ammonia. | |
| Protection during firefighting | : Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). | |
| Other information | : Do not allow run-off from fire fighting to enter drains or water courses. | |
| SECTION 6: Accidental release | se measures | |
| 6.1. Personal precautions, pro | otective equipment and emergency procedures | |
| General measures | : Do not breathe fumes from fires or vapours from decomposition. | |
| | | |

5.2 Special hazards arising from the substance or mixture

6.1.1. For non-emergency personnel

| Protective equipment | Wear suitable protective clothing, gloves and eye/face protection. Wear tight fitting goggles in dusty areas to reduce dust exposure to the eyes. If skin irritation occurs, wear long sleeves. |
|---------------------------------|--|
| Emergency procedures | : Collect as any solid. Ventilate area. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Wear suitable protective clothing, gloves and eye/face protection. |
| Emergency procedures | : If possible, stop flow of product. Contain and collect as any solid. Ventilate area. |

6.2. **Environmental precautions**

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. COAST GUARD NATIONAL RESPONSE CENTER at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300. In other countries call CHEMTREC at (International code) +1-703-527-3887.

Methods and material for containment and cleaning up 6.3.

| For containment | : If contaminated with other materials, contain and collect as any solid in suitable containers. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Prevent large quantities from contacting vegetation. |
|-------------------------|--|
| Methods for cleaning up | : Recover the product by vacuuming, shoveling or sweeping and place in appropriate container to be disposed at an appropriate disposal facility according to current applicable laws and regulations and product characteristics at the time of disposal. Provide adequate ventilation. Avoid generation of dust during clean-up of spills. If uncontaminated, recover and reuse product. Practice good housekeeping – spillage can be slippery on smooth surface either wet or dry. |

Safety Data Sheet 201

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| Additional hazards when processed | : When heated, material emits irritating fumes. |
|-----------------------------------|--|
| Precautions for safe handling | : Handle in accordance with good industrial hygiene and safety procedures. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. |
| Hygiene measures | : Emergency eye wash fountains and a safety shower should be available in the immediate vicinity of any potential exposure. |
| 7.2. Conditions for safe storage, | , including any incompatibilities |
| Storage conditions | : Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture. |
| Incompatible materials | : Alkalis and caustic products. strong acids. copper and its alloys. |

7.3. Specific end use(s)

Agricultural chemical.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Monoammonium Phosphate (7722-76-1) as P ₂ O ₅ | | |
|---|-------------------------------------|--|
| USA ACGIH | ACGIH TWA (mg/m ³) | 10 mg/m ³ – inhalable fraction 3 mg/m ³ – respirable fraction |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ – particulate 3 mg/m ³ – respirable |

Fluorides

| USA ACGIH | ACGIH TWA (mg/m ³) | 2.5 mg/ m ³ |
|-----------|-------------------------------------|------------------------|
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 2.5 mg/ m ³ |

8.2. Exposure controls

Appropriate engineering controls

: Ensure adequate ventilation, especially in confined areas and avoid high dust concentration.

Personal protective equipment

: Gloves. Safety glasses. Protective clothing.



Hand protection Eye protection

- : Impermeable protective gloves.
 - : Protective goggles.

| Safety Data Sheet | 201 |
|-------------------|-----|
| | |

| Skin and body protection | : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Wear suitable protective clothing. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice. |
|---------------------------------|--|
| Respiratory protection | Wear NIOSH approved respiratory protective equipment when exposure exceeds the OSHA nuisance dust standard of 15 mg/m³ or the ACGIH nuisance dust limit of 10 mg/m³ for the eight hour time weighted average. When stored in closed area, a self-contained breathing apparatus is required to protect against ammonia gas. |
| Environmental exposure controls | : Ensure adequate ventilation, especially in confined areas. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Solid |
|---|-------------------------------------|
| Appearance | : Granular solid |
| Molecular mass | : 115 g/mol |
| Colour | : Black to green |
| Odour | : Odourless |
| Odour threshold | : No data available |
| рН | : 4.2 |
| pH Solution | : 0.2 M at 25 °C (aqueous solution) |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : 190 °C (374 °F) |
| Freezing point | : No data available |
| Boiling point | : Decomposes |
| Flash point | : Not applicable |
| Self ignition temperature | : Not flammable |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not flammable |

Safety Data Sheet 201

| Vapour pressure | : < 1 mm Hg (at 20 °C) |
|----------------------------------|--|
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 60 - 64 lb/ft ³ (loose) 65 - 72 lb/ft ³ (tamped) |
| Solubility | : Soluble. Water: 328 g/l (at 20 °C) |
| Log Pow | : No data available. Based on water solubility it is expected that the log P_{ow} would be very low. |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : Not explosive |
| Oxidising properties | : Not oxidizing |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Stable at standard temperature and pressure.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Welding or hot work on equipment or plant which may have contained fertilizer should not be done without first washing thoroughly to remove all fertilizer.

10.5. Incompatible materials

Alkalis and caustic products; strong acids; copper and its alloys.

Safety Data Sheet

201

10.6. Hazardous decomposition products

Ammonia is released upon reaction with strong bases or from thermal decomposition.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : No

: Not classified

| (MAP) Monoammonium phosph | ate |
|---|--------------------------------|
| LD50 oral rat | > 2000 mg/kg OECD Guidline 425 |
| LD50 dermal rat | > 5000 mg/kg OECD Guidline 402 |
| Additional information This compound is listed by the FDA as generally recognized as safe (GF and may be used as a food additive, for both human food and ruminar feed, according to prescribed conditions. | |
| Monoammonium phosphate (77 | 22-76-1) |

| Monoammonium phosphate (7722-76-1) | |
|------------------------------------|--------------|
| LD50 oral rat | 5750 mg/kg |
| LD50 dermal rabbit | > 7940 mg/kg |

| Skin corrosion/irritation | : Causes skin irritation. | |
|---|-------------------------------------|--|
| | pH: 4.2 (0.2 M solution) | |
| Serious eye damage/irritation | : Causes eye irritation. | |
| | pH: 4.2 (0.2 M solution) | |
| Respiratory or skin sensitisation | : Not classified | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Not classified | |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. | |
| Specific target organ toxicity (repeated exposure) | : Not classified | |
| Aspiration hazard | : Not classified | |

SECTION 12: Ecological information

12.1. Toxicity

| Ecotoxicity | EPA Ecological Toxicity rating : | Slightly toxic to practically non-toxic to aquatic organisms based on the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) acute toxicity ratings. |
|-------------|---|---|
| | Acute Toxicity to Fish: | (Oncorhynchus mykiss) 96-hr: LC ₅₀ = > 85.9 mg/L |
| | Chronic Toxicity to Fish: | No data available |
| | Acute Toxicity to Aquatic Invertebrates: | No data available |
| | Toxicity to Aquatic Plants: | No data available |
| | Toxicity to Bacteria: | No data available |

Safety Data Sheet

201

| | Toxicity to Soil Dwelling Organisms: | No data available | |
|-----------------------|---|---|--|
| | Toxicity to Terrestrial Plants: | No data available | |
| Environmental Fate: | Stability in Water: | Stable | |
| Environmental Fate: | Stability in Soil: | Stable | |
| | Transport and Distribution: | Calculated, fugacity level III: 3.98×10^{-12} to air, 45.3% to water, 54.6% to soil, 0.0755% to sediment. Phosphates, whether water or citrate soluble, are translocated in the soil only over very short periods and are then immobilized. | |
| Toxicity: | Inorganic phosphates have the potential to increase the growth of freshwater algae, whose eventual death will reduce the available oxygen for aquatic life. | | |
| Degradation Products: | Biodegradation: | The Phosphorus cycle is well understood. Phosphates are converted to calcium or iron/aluminum phosphates or are incorporated with the organic soil matter. | |
| | Photodegradation: | No data available | |

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|---------------------------------|--|
| Sewage disposal recommendations | : This material is hazardous to the aquatic environment. Keep out of sewers and waterways. |
| Waste disposal recommendations | : Place in an appropriate container and dispose of the contaminated material at a licensed site. |
| Additional information | : Dispose of waste material in accordance with all local, regional, national, and international regulations. |

SECTION 14: Transport information

In accordance with DOT / TDG / ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

No dangerous good in sense of transport regulations.

14.2. UN proper shipping name

Not applicable

14.2 Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

Safety Data Sheet 201

SECTION 15: Regulatory information

15.1. US Federal regulations

| Monoammonium phosphate (7722-76-1) | | |
|---|---------------------------------|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | |

15.2. US State regulations

The following states have an OSH program approved by OSHA. If you are located in any of these states you may be under state jurisdiction rather than federal jurisdiction and your state may have more stringent requirements than OSHA. You should consult your state regulations to ensure compliance.

| Alaska | Indiana | Minnesota | North Carolina | Utah |
|--------------|----------|-------------|----------------|-----------------|
| Arizona | Iowa | Nevada | Oregon | Vermont |
| California | Kentucky | New Mexico | Puerto Rico | *Virgin Islands |
| *Connecticut | Maryland | *New Jersey | South Carolina | Virginia |
| Hawaii | Michigan | *New York | Tennessee | Washington |
| *Illinois | | | | Wyoming |

*The state plans in these states apply only to public sector employers. In these states private sector employers are subject to USOL – OSHA jurisdiction. All other state plans apply to both public and private sector employers.

| Monoammonium phosphate (7722-76-1) | |
|---|--|
| U.S Texas - Effects Screening Levels - Long Term | |
| U.S Texas - Effects Screening Levels - Short Term | |

15.3. Canadian regulations

| Monoammonium phosphate (7722-76-1) | | | | |
|---|---|--|--|--|
| Listed on the Canadian DSL (Domestic Sustances List) inventory. | | | | |
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria | | | |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

| SECTION 16: Other info | ECTION 16: Other information | | |
|------------------------|---|--|--|
| NFPA health hazard | : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given. | | |
| NFPA fire hazard | : 0 - Materials that will not burn. | | |
| NFPA reactivity | : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. | | |

Full text of H- phrases:

| Eye Irrit. 2 Serious eye damage/eye | | Serious eye damage/eye irritation Ca | tegory 2 | |
|-------------------------------------|---------------|--------------------------------------|--------------|-------|
| | Skin Irrit. 2 | Skin corrosion/irritation Category 2 | | |
| 04/30/2 | 2015 | EN (English) | SDS Ref.:201 | 10/11 |

201

Safety Data Sheet

| STOT SE 3 | H335 – May cause respiratory irritation. |
|-----------|--|
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |

Previous PotashCorp MSDS Number

Logo Change

: MSDS 5 – Monoammonium Phosphate (MAP)

: No other information changes; kept same date

SDS US (GHS HazCom 2012)

Although the information contained is offered in good faith, SUCH INFORMATION IS EXPRESSLY GIVEN WITHOUT ANY WARRANTY (EXPRESS OR IMPLIED) OR ANY GUARANTEE OF ITS ACCURACY OR SUFFICIENCY and is taken at the user's sole risk. User is solely responsible for determining the suitability of use in each particular situation. PCS Sales specifically DISCLAIMS ANY LIABILITY WHATSOEVER FOR THE USE OF SUCH INFORMATION, including without limitation any recommendation which user may construe and attempt to apply which may infringe or violate valid patents, licenses, and/or copyright.