

Phrases:

SAFETY DATA SHEET PRODIAMINE 0.37% 00-0-7

		Supersedes Revision: 07/01/2016			
	1. Product and Compar	ny Identification			
Product Code:	900978				
Product Name:	PRODIAMINE 0.37% 00-0-7				
Company Name:	Turf Care Supply Corp.	Phone Number:			
	50 Pearl Road	1 (330)558-0910			
	Suite 200				
	Brunswick, OH 44212				
Web site address:	www.turfcaresupply.com				
Email address:	regaffairs@tcscusa.com				
Emergency Contact:	PERS	1 (800)633-8253			
Information:	Turf Care Supply Corp.	1 (330)558-0910			
Synonyms:	Fertilizer with Pre-Emergent Herbid	cide.			
	2. Hazards Iden	tification			
Skin Corrosion/Irritation, C	ategory 2				
Serious Eye Damage/Eye Ir	ritation, Category 1				
Germ Cell Mutagenicity, Ca	•				
Toxic To Reproduction, Ca					
	city (single exposure), Category 1				
Specific Target Organ Toxi	city (repeated exposure), Category	⁷ 1			
Aquatic Toxicity (Acute), Ca	ategory 3				
Aquatic Toxicity (Chronic),	Category 3				
\wedge					
GHS Signal Word:	Danger				
GHS Hazard Phrases:	Causes skin irritation.				
GHS Hazaru Fillases.	Causes skill inflation. Causes serious eye damage.				
	Suspected of causing genetic defects.				
	May damage fertility or the unborn child .				
	Causes damage to organs				
	0 0	h prolonged or repeated exposure.			
	Harmful to aquatic life.	in protonged of repeated exposure.			
	•	sting offects			
	Harmful to aquatic life with long las				
GHS Precaution Phrases:	Obtain special instructions before use.				
	Do not handle until all safety precautions have been read and understood.				
	Do not breathe dust.	12.5			
	Wash hands thoroughly after hand	0			
	Do not eat, drink or smoke when u				
	Use personal protective equipmen	-			
GHS Response Phrases:	IF ON SKIN: Wash with plenty of s	•			
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if				
	present and easy to do. Continue rinsing.				
	IF exposed: Call a POISON CENTER or doctor/physician.				
	IF exposed or concerned: Get medical attention/advice.				
	Get medical attention/advice if you				
	If skin irritation occurs, get medica	al advice/attention.			
	Take off contaminated clothing an				
GHS Storage and Disposal	Store in a secure location.				
Dhraces	Disposo of contents/container to a	n annranriata dianagal fagility			

Dispose of contents/container to an appropriate disposal facility.

GHS format



(Acute and Chronic): rep		• ·	eated skin contact may cause dermatitis. Prolonged or use permanent eye damage. Chronic exposure may cause be delayed.	
Inhalation:	tion: May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.			
Skin Contact: May cause skin irritation. Dust causes mechanical irritation. Low hazard for usu industrial handling.			oust causes mechanical irritation. Low hazard for usual	
Eye Contact:		May cause eye irritation. Dust may cause mechanical irritation.		
Ingestion:		May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiti and diarrhea. Low hazard for normal industrial handling. The toxicological properties this substance have not been fully investigated. May cause systemic effects.		
	3.	Composition/Info	rmation on Ingredients	
CAS #	Hazardous Comp	oonents (Chemical Name)	Concentration	
1317-65-3	Limestone		83.8 %	
7447-40-7	Potassium chloride	e	11.2 %	
14808-60-7	Quartz		2.79 %	
64742-65-0	Mineral Oil		0.400 %	
29091-21-2	Prodiamine		0.370 %	
		4. First A	id Measures	
Emergency a Procedures:				
In Case of In	halation:		d move to fresh air immediately. If not breathing, give artificial lifficult, give oxygen. Get medical aid.	
In Case of SI	kin Contact:	of water. Remove contamir	develops or persists. In case of contact, flush skin with plenty nated clothing and shoes. Get medical aid if irritation develops g before reuse. Wash off with soap and plenty of water.	
In Case of E	ye Contact:		rater for at least 15 minutes, occasionally lifting the upper and w victim to rub eyes or keep eyes closed.	
In Case of Ingestion:		If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control center. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.		
Signs and Sy Exposure:	ymptoms Of	To the best of our knowled not been thoroughly investi	ge, the chemical, physical, and toxicological properties have igated.	
Note to Phys	sician:	Treat symptomatically and	supportively.	



	5. Fire Fighting Measures	
Flash Pt:	No data.	
Explosive Limits:	LEL: No data. UEL: No data.	
Autoignition Pt:	No data.	
Suitable Extinguishing Media	a:For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use d chemical, carbon dioxide, alcohol-resistant foam, or water spray.	lry
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive products. Runoff from fire control or dilution water may cause pollution.	
Flammable Properties and Hazards:	Most of the components of this product are non-combustible. However, a portion of the may support combustion at elevated temperatures.	em
Hazardous Combustion Products:	Thermal decomposition may result in the production of ammonia, formaldehyde, biurer chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other toxic and irritating fumes and gases.	
	6. Accidental Release Measures	
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal containe Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precaution in the Protective Equipment section. Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensu adequate ventilation. Environmental precautions. Do not let product enter drains. Pick up and arrange disposal without creating dust. Keep in suitable, closed container for disposal.	ns Ire
	PROCEDURES & PERSONAL PRECAUTIONS. Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust. Methods for cleaning up.	
	Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate ar and wash spill site after material pickup is complete.	rea
	7. Handling and Storage	
Precautions To Be Taken in Handling:	Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.	
	Provide appropriate exhaust ventilation at places where dust is formed.	
	GHS for	rmat



Precautions To Be Taken in Store in a cool, dry place. Keep container closed when not in use. **Storing:**

CAS #	Partial Chemica	l Name	OSHA TWA	ACGIH TWA	Other Limits	
1317-65-3	Limestone		PEL: 15 (dust); 5 (resp.) mg/m3	No data.	No data.	
7447-40-7	Potassium chlorid	de	No data.	No data.	No data.	
14808-60-7	Quartz		PEL: 50 ug/m3	TLV: 0.05 mg/m3 (R)	No data.	
64742-65-0	Mineral Oil		No data.	TWA: 5 mg/m3	No data.	
29091-21-2	Prodiamine		No data.	No data.	No data.	
Respiratory (Specify Typ		requirements of conditions warr desired, use typ use type OV/AC	otection program that meets European Standard EN 14 ant respirator use. Where pl e N95 (US) or type P1 (EN G/P99 (US) or type ABEK-P2	9 must be followed whene rotection from nuisance le 143) dust masks. For hig 2 (EU EN 143) respirator	ever workplace evels of dusts are her level protection cartridges.	
Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as de OSHA's eye and face protection regulations in 29 CFR 1910.133 or Europennet EN166. EN166.			•			
Protective G	loves:	Wear appropria	te protective gloves to preve	ent skin exposure. Wash	and dry hands.	
Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure. Choose body pro according to the amount and concentration of the dangerous substance at the we place.				• •		
Engineering (Ventilation	etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.				
Work/Hygier	nic/Maintenance		dance with good industrial h nd at the end of workday. V			
Practices:						
Practices:		9. Physic	al and Chemical P	roperties		
Practices: Physical Sta	ntes:	[]Gas []	Liquid [X] Solid	roperties		
		[] Gas [] Multi-colored, g	Liquid [X] Solid ranular solid.	roperties		
Physical Sta Appearance		[] Gas [] Multi-colored, g Characteristic p	Liquid [X] Solid	roperties		
Physical Sta Appearance pH:	and Odor:	[] Gas [] Multi-colored, g Characteristic p No data.	Liquid [X] Solid ranular solid.	roperties		
Physical Sta Appearance pH: Melting Poir	and Odor: nt:	[] Gas [] Multi-colored, g Characteristic p No data. ~ 133 C	Liquid [X] Solid ranular solid.	roperties		
Physical Sta Appearance pH: Melting Poin Boiling Poin	and Odor: nt:	[] Gas [] Multi-colored, g Characteristic p No data. ~ 133 C No data.	Liquid [X] Solid ranular solid.	roperties		
Physical Sta Appearance pH: Melting Poin Boiling Poin Flash Pt:	and Odor: ht: t:	[] Gas [] Multi-colored, g Characteristic p No data. ~ 133 C No data. No data.	Liquid [X] Solid ranular solid.	roperties		
Physical Sta Appearance pH: Melting Poin Boiling Poin Flash Pt: Evaporation	and Odor: ht: t: Rate:	[]Gas [] Multi-colored, g Characteristic p No data. ~ 133 C No data. No data. No data.	Liquid [X] Solid ranular solid. esticide solvent odor.	roperties		
Physical Sta Appearance pH: Melting Poin Boiling Poin Flash Pt: Evaporation Flammability	and Odor: ht: t: Rate: y (solid, gas):	[] Gas [] Multi-colored, g Characteristic p No data. ~ 133 C No data. No data. No data. No data availab	Liquid [X] Solid ranular solid. esticide solvent odor. le.			
Physical Sta Appearance pH: Melting Poin Boiling Poin Flash Pt: Evaporation Flammability Explosive Li	and Odor: ht: t: Rate: y (solid, gas):	[]Gas [] Multi-colored, g Characteristic p No data. ~ 133 C No data. No data. No data.	Liquid [X] Solid ranular solid. esticide solvent odor. le.	No data.		



Specific Gravity (Water = 1):	No data.
Solubility in Water:	~ 1,080 g/L at 20.0 C
Solubility Notes:	The solubility value cited is for the urea component of this product, if present. See section 3.
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	No data.
Decomposition Temperature:	: ~ 135 C
Viscosity:	No data.
Additional Physical	The melting point and decomposition temperatures cited are for the urea component of
Information	this product, if present. See section 3. Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No: 57-13-6)
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, dust generation, heating to decomposition. High temperatures.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, bases, acids, aluminum.
Hazardous Decomposition or Byproducts:	The decomposition of fertilizer products may result in the generation of some or all of the following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.
	11. Toxicological Information
Toxicological Information:	Epidemiology: No information found. Teratogenicity: Teratogenic effects have occurred in experimental animals. Neurotoxic effects have occurred in experimental animals. Reproductive toxicity - no data available. Inhalation: May cause damage to organs through prolonged or repeated exposure.
	CAS# 7447-40-7: Potassium chloride: Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972
	Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku," , Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972
	CAS# 29091-21-2: Prodiamine: Acute toxicity, LD50, Oral, Rat, 15380. MG/KG; "Agricultural Chemicals," 1976/77
	GHS format
	GHS IOIIIlat



					•	aon: 07/01/2016
		revision, Thomson, W.T., 4 vols., 1977	Thomson Publ	ications, Fre	sno, CA, Vol/	p/yr: 2,48,
		Acute toxicity, LC50, Inhalation, F of the Pesticide Science Society Toshima-ku, Tokyo 170 Japan, V	of Japan., Nipp	on Noyaku G	•	
		Acute toxicity, LD50, Skin, Rat, > Pub., 37841 Euclid Ave., Willoug	2.000 GM/KG;	Farm Chem		ok., Meister
		,	, , ,		-,	
Carcinogenicity/Other Information:		This material may contain small amounts of respirable crystalline and amorphous silica. The International Agency for Cancer Research (IARC) has classified crystalline silica as a carcinogen to humans (Group 1), and amorphous silica as not classifiable as to its carcinogenicity to humans (Group 3). See "Silica, Some Silicates, Coal dust and para-Aramid Fibrils in IARC Monographs on the Evaluation of Carcinogenic Risks to Humans", (Vol. 68).				
CAS #	Hazardous Co	mponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
1317-65-3	Limestone		n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chlo	ride	n.a.	n.a.	n.a.	n.a.
14808-60-7	Quartz		Known	1	A2	n.a.
64742-65-0	Mineral Oil		n.a.	n.a.	n.a.	n.a.
29091-21-2	Prodiamine		n.a.	n.a.	n.a.	n.a.
		12. Ecological In	formation			
General Ecol	ogicai	Environmental: If released to the vapor-phase by reaction with pho hr). If released to soil, urea is hyd basis of its use as a fertilizer). Th number a variables (such as incre degradation rate from days to we	tochemically pr rolyzed to amm e rate of hydrol easing the pelle	roduced hydr nonium throu ysis can be f	roxyl radicals igh soil ureas fast (24 hr); h	(half-life of 9.6 e activity (the owever, a
		CAS# 7447-40-7: Potassium chlo LC50, Rainbow Trout (Oncorhyno temperature: 17.0 C C, pH: 7.70, Molluscicides to Zebra Mussels (Organisms, Waller, D.L., J.J. Rac Dabrowska, 1993	chus mykiss), 10 Hardness: 40.0 Dreissena polyr	0 MG/L; Tox morpha) and	kicity of Cand Selected No	idate ntarget
		CAS# 29091-21-2: Prodiamine: LC50, Bluegill (Lepomis macroch Database (Formerly: Environmer Programs, 2000			•	•
		LC50, Channel Catfish (Ictalurus Ecotoxicity Database (Formerly: Pesticide Programs, 2000	• •		•	
Persistence a Degradability		No data available.				



			Supe	ersedes Revision: 07/01/2016		
Bioaccumulative Po	tential: Prodiamine: Log (Kow) = Olympia, WA 98506)	Prodiamine: Log (Kow) = 4.1 (Thurston County Health Dept., 412 Lilly Road NE, Olympia, WA 98506)				
Mobility in Soil:	No data available.					
	13. Disposal	Consideratio	ons			
Waste Disposal Meti		pletely used accordi this section.	ng to label direction	·		
	Do not let product enter d	rains.				
	as a hazardous waste. US in 40 CFR Parts 261. Add	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.				
		RCRA P-Series: None listed. RCRA U-Series: None listed.				
	Observe all federal, state	and local environm	ental regulations.			
	Packaging: Empty bag m	ay be placed in tras	h.			
		ort Informatio				
LAND TRANSPORT	•					
DOT Hazard Clas UN/NA Number:		ory Informatio				
	Amendments and Reauthorization A	•	0.00/00			
CAS # Hazard	dous Components (Chemical Name) one	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) No		
7447-40-7 Potass	ium chloride	No	No	No		
14808-60-7 Quartz		No	No	No		
64742-65-0 Minera	l Oil	No	No	No		
29091-21-2 Prodia	mine	No	No	No		
This material meets the EPA[X] Yes [] NoAcute (immediate) Health Hazard'Hazard Categories' defined[X] Yes [] NoChronic (delayed) Health Hazardfor SARA Title III Sections[] Yes [X] NoFire Hazard311/312 as indicated:[] Yes [X] NoSudden Release of Pressure Hazard[] Yes [X] No[] Yes [X] NoReactive Hazard						
CAS # Hazard	dous Components (Chemical Name)	Other US EPA o	r State Lists			
1317-65-3 Limest		Inventory; CA P		: No; TSCA: Yes - Dil/HazMat: No; MI CMR, 97: No; PA HSL: Yes - 1		
7447-40-7 Potass	ium chloride	Inventory; CA P		: No; TSCA: Yes - Dil/HazMat: No; MI CMR, 97: No; PA HSL: No		
14808-60-7 Quartz			No; CWA NPDES:			
		Inventory; CA P	ROP.65: No; MA C	Dil/HazMat: No; MI CMR,		
				GHS format		



	Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1
64742-65-0 Mineral Oil	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
	Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
	Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
29091-21-2 Prodiamine	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
	Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR,
	Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No
Regulatory Information:	This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide
	law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels on non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below.
	The pesticide label also includes other important information, including directions for use.
	KEEP OUT OF REACH OF CHILDREN CAUTION
	See the following section, Precautionary Statements, Hazards to Humans and Domestic Animals, for additional information.
	PRECAUTIONARY STATEMENTS
	HAZARDS TO HUMANS AND DOMESTIC ANIMALS
	CAUTION: Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
	ENVIRONMENTAL HAZARDS
	This product has low solubility in water. At the limits of solubility, this product is not toxic
	to fish. However, at concentrations above the level of water solubility, it may be toxic to
	fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in
	adjacent sites. To protect the environment, do not allow pesticide to enter or run off into
	storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or
	rain does not blow or wash pesticide off the treatment area. Sweeping any product that
	lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden
	will help to prevent run off to water bodies or drainage systems.
	16. Other Information
Revision Date:	10/28/2016
	Flammability
Hazard Rating System:	
	Health
	NFPA: Special Hazard
Additional Information A	hout No data available
This Product:	
Company Policy or	Disclaimer and Limitation of Liability: This data sheet was developed from information on
Disclaimer:	the constituent materials identified herein and does not relate to the use of such
	materials in combination with any other material or process. No warranty is expressed or
	implied with respect to the completeness or ongoing accuracy of the information
	contained in this data sheet, and Turf Care Supply Corp. disclaims all liability for reliance
	on such information. This data sheet is not a guarantee of safety. Users are responsible
	GHS format



for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.